Please amend the present application as follows:

## **Claims**

The following is a copy of Applicant's claims that identifies language being added with underlining ("\_\_\_") and language being deleted with strikethrough ("—\_"), as is applicable:

(Previously presented) A computer-implemented method, comprising:
 associating a print job with a unique job identifier prior to sending the job to a printing device;

obtaining pre-print information about the print job;
obtaining post-print information about the print job; and
correlating the pre-print information and the post-print information using the
unique job identifier.

- 2. (Original) A method as recited in claim 1, wherein the pre-print information is received from an operating system.
- 3. (Original) A method as recited in claim 1, wherein the post-print information is obtained from a peripheral.
- 4. (Original) A method as recited in claim 3, wherein the peripheral is selected from among a group of peripherals comprising a printer and a facsimile machine.

- 5. (Original) A method as recited in claim 1, wherein the obtaining postprint information step comprises use of SNMP Gets.
- 6. (Original) A method as recited in claim 1, further comprising storing the unique identifier, the pre-print information and the post-print information.
- 7. (Original) A method as recited in claim 1, additionally comprising sending the unique identifier, the pre-print information and the post-print information to a job table on a peripheral.
- 8. (Original) A method as recited in claim 1, additionally comprising sending the unique identifier, the pre-print information and the post-print information to a management server.
- 9. (Original) A method as recited in claim 1, further comprising transferring the pre-print information and the post-print information to a management server upon realization of a threshold.
- 10. (Original) A method as recited in claim 9, wherein the threshold is selected from a group of thresholds comprising an elapsed time threshold, a storage level threshold and a print job quantity threshold.
- 11. (Original) A method as recited in claim 9, additionally comprising adjusting a value at which the threshold triggers the transfer of data.

- 12. (Original) A method as recited in claim 1, additionally comprising polling a peripheral to determine if the peripheral has finished with the print job.
- 13. (Original) A method as recited in claim 12, wherein the polling step comprises varying the rate of polling as the peripheral works on the print job.
- 14. (Original) A method as recited in claim 1, additionally comprising requesting the peripheral to send a trap with print information.
  - 15. (Canceled)
- 16. (Previously presented) A computer-implemented method of capturing print job information, comprising:

configuring a port monitor with a management server;

associating a print job received by a port monitor with a unique job identifier prior to sending the job to a printer;

sending the print job to the printer;

obtaining pre-print information about the print job;

obtaining post-print information about the print job; and

correlating the pre-print information and the post-print information using the unique job identifier.

17. (Original) A method as recited in claim 16, wherein configuring comprises configuring a plurality of port monitors to have a same threshold value.

- 18. (Original) A method as recited in claim 16, wherein configuring comprises generating a user interface on the management server that is supported by HTML.
- 19. (Original) A method as recited in claim 16, additionally comprising polling the printer to determine if the printer has finished with the print job.
- 20. (Original) A method as recited in claim 16, wherein the polling step comprises varying the rate of polling as the printer works on the print job.
  - 21. (Canceled)
  - 22. (Previously presented) A computer-implemented method, comprising: receiving a print job with a port monitor;

wrapping the print job with a unique job identifier to form a wrapped print job; sending the wrapped print job to a printer;

obtaining pre-print information associated with the print job from an operating system;

polling the printer to determine if the print job is done;

obtaining post-print information from the printer; and

correlating the pre-print and post-print information to produce correlated information.

23. (Original) A method as recited in claim 22, wherein polling comprises polling at a varying rate as the printer works on the print job.

- 24. (Original) A method as recited in claim 22, additionally comprising triggering the transfer of correlated information to a management server upon reaching a threshold.
- 25. (Original) A method as recited in claim 24, wherein the threshold is selected from a group of thresholds comprising an elapsed time threshold and a storage available threshold.
- 26. (Original) A method as recited in claim 24, additionally comprising adjusting the threshold that triggers the transfer of data.
- 27. (Previously presented) A port monitor that operates on a peripheral server, comprising:

a job information collection module configured to assign unique job identifiers to print jobs and to collect and correlate pre-print and post-print information, the pre-print information being obtained from a host operating system and the post-print information being obtained from a peripheral device that is configured to print jobs.

28. (Previously presented) The port monitor of claim 27, additionally comprising a data store in communication with the job information collection module, the data store being configured to store the pre-print and post-print information.

- 29. (Previously presented) The port monitor of claim 27, additionally comprising a data transfer module in communication with the job information collection module, the data transfer module being configured to transfer data from the job information collection module.
- 30. (Previously presented) The port monitor of claim 27, additionally comprising an SNMP module in communication with the job information collection module.
- 31. (Original) At least one computer-readable media having computer readable instructions thereon, which when executed by a computer, cause the computer to:

receive a print job;

wrap the print job with a unique job identifier to create a wrapped print job;

send the wrapped print job to a printer;

obtain pre-print information from an operating system;

obtain post-print information from the printer; and

correlate the pre-print information and the post-print information associated with the unique job identifier.

32. (Previously presented) A computer-readable media as recited in claim 31, to additionally cause the computer to poll to determine if the printer has finished with the print job.

33. (Original) A computer-readable media as recited in claim 32, to additionally cause the computer to vary a rate of polling as the printer works on the print job.

## 34. (Canceled)

35. (Previously presented) A computer-readable medium having computer-readable instructions for performing the following:

associating a print job with a unique job identifier prior to sending the job to a printing device;

obtaining pre-print information about the print job;

obtaining post-print information about the print job; and

correlating the pre-print information and the post-print information using the unique job identifier.

36. (Previously presented) A computer-readable medium having computer-readable instructions for performing the following:

configuring a port monitor with a management server;

associating a print job received by a port monitor with a unique job identifier prior to sending the job to a printer;

sending the print job to the printer;

obtaining pre-print information about the print job;

obtaining post-print information about the print job; and

correlating the pre-print information and the post-print information using the unique job identifiers.

37. (Previously presented) A computer having a processor capable of reading a computer-readable medium to execute instructions to cause the computer to:

receive a print job;

wrap the print job with a unique job identifier to create a wrapped print job; send the wrapped print job to a printer;

obtain pre-print information from an operating system;

obtain post-print information from the printer; and

correlate the pre-print information and the post-print information associated with the unique job identifier.

- 38. (New) The method of claim 1, wherein the associating is performed by a print server that receives the print job from a user device and forwards the print job to the printing device.
- 39. (New) The method of claim 1, wherein the pre-print information includes information as to an owner of the document.
- 40. (New) The method of claim 1, wherein the pre-print information includes information as to an application that was used to create the document.
- 41. (New) The method of claim 1, wherein the post-print information includes information as to time required to print.

- 42. (New) The method of claim 1, wherein the post-print information includes information as to a quantity of toner used to print.
- 43. (New) The method of claim 1, wherein the post-print information includes information as to success or failure of printing.